acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: August 28, 2017 Revision: August 28, 2017

#### 1 Identification

· Product identifier

· Trade name: Electrocarb Black Silicon Carbide Grain

**ELECTROCARB®** 

Product code: No other identifiersCAS Number:

409-21-2

- · Recommended use and restriction on use
- · Recommended use: Abrasives.
- · Restrictions on use: See Sections 8 and 10 for further information.
- Details of the supplier of the Safety Data Sheet
- · Manufacturer/Supplier:

Electro Abrasives LLC 701 Willet Road Buffalo, NY 14218 Phone: (716) 822-2500



· Emergency telephone number:

ChemTel Inc.

(800)255-3924 (North America) +1 (813)248-0585 (International)

### 2 Hazard(s) identification

· Classification of the substance or mixture

Carc. 1A H350 May cause cancer.

- · Label elements
- · GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms:



GHS08

- · Signal word: Danger
- · Hazard statements:

H350 May cause cancer.

· Precautionary statements:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood. P280 Wear protective gloves/protective clothing/eye protection/face protection.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

(Cont'd. on page 2)

### acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: August 28, 2017 Revision: August 28, 2017

Trade name: Electrocarb Black Silicon Carbide Grain

(Cont'd. of page 1)

· Other hazards There are no other hazards not otherwise classified that have been identified.

### 3 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description

409-21-2 silicon carbide

· Impurities and stabilising additives:

Present at < 1%: Quartz (SiO2).

14808-60-7 Quartz (SiO2)

#### 4 First-aid measures

- · Description of first aid measures
- · After inhalation:

Supply fresh air; consult doctor in case of complaints.

Provide oxygen treatment if affected person has difficulty breathing.

· After skin contact:

Brush off loose particles from skin.

Clean with water and soap.

If skin irritation is experienced, consult a doctor.

· After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

· Most important symptoms and effects, both acute and delayed:

Coughing

Gastric or intestinal disorders

- · Danger: May cause cancer by inhalation.
- · Indication of any immediate medical attention and special treatment needed:

No relevant information available.

## 5 Fire-fighting measures

- Extinguishing media
- · Suitable extinguishing agents:

The product is not flammable.

Use fire fighting measures that suit the environment.

- · For safety reasons unsuitable extinguishing agents: None.
- · Special hazards arising from the substance or mixture No relevant information available.
- Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

(Cont'd. on page 3)

### acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: August 28, 2017 Revision: August 28, 2017

Trade name: Electrocarb Black Silicon Carbide Grain

Wear fully protective suit.

(Cont'd. of page 2)

### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

Avoid formation of dust.

Avoid breathing dust.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

- · Environmental precautions No special measures required.
- · Methods and material for containment and cleaning up

Pick up mechanically.

Send for recovery or disposal in suitable receptacles.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### 7 Handling and storage

- Handling
- · Precautions for safe handling:

Prevent formation of dust.

Any deposit of dust which cannot be avoided must be regularly removed.

Use only in well ventilated areas.

Avoid breathing dust.

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Protect from humidity and water.

This product is hygroscopic.

· Specific end use(s) No relevant information available.

(Cont'd. on page 4)

### acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: August 28, 2017 Revision: August 28, 2017

Trade name: Electrocarb Black Silicon Carbide Grain

(Cont'd. of page 3)

### 8 Exposure controls/personal protection

### · Control parameters

Components with limit values that require monitoring at the workplace:				
409-21-2 silicon carbide				
PEL (USA)	Long-term value: 15* 5** mg/m³ fibrous dust: *total dust **respirable fraction			
REL (USA)	Long-term value: 10* 5** mg/m³ *total dust **respirable fraction			
TLV (USA)	Long-term value: 10* 3** mg/m³ fibrous dust:0.1 f/cc; nonfibrous:*inh.,**resp.			
EL (Canada)	Long-term value: 10* 3** mg/m³ Nonfibrous: *inh. **resp.; Fibrous: 0.1 f/cc			
EV (Canada)	Long-term value: 10* 3** mg/m³, 0.1f/cc*** ppm nonfibrous: *inh.,**resp.; ***fibrous, resp.			
LMPE (Mexico)	Long-term value: 10* 3** mg/m³ fibroso:0.1f/cc,A2,F;no fibroso: *inh.,**resp.			
14808-60-7 Quartz (SiO2)				
PEL (USA)	see Quartz listing			
REL (USA)	Long-term value: 0.05* mg/m³ *respirable dust; See Pocket Guide App. A			
TLV (USA)	Long-term value: 0.025* mg/m³ *as respirable fraction			
EL (Canada)	Long-term value: 0.025 mg/m³ ACGIH A2; IARC 1			
EV (Canada)	Long-term value: 0.10* mg/m³ *respirable fraction			
LMPE (Mexico)	Long-term value: 0.025* mg/m³ A2, *fracción respirable			

#### · Exposure controls

- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid close or long term contact with the skin.

- Engineering controls: Use only outdoors or in a well-ventilated area.
- · Breathing equipment:

Not required under normal conditions of use.

Use respiratory protection when grinding or cutting material.

Wear appropriate NIOSH respirator when ventilation is inadequate and occupational exposure limits are exceeded.

### · Protection of hands:

Wear gloves for the protection against mechanical hazards according to OSHA and NIOSH rules.

(Cont'd. on page 5)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: August 28, 2017 Revision: August 28, 2017

Trade name: Electrocarb Black Silicon Carbide Grain

(Cont'd. of page 4)

· Eye protection:



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

· Body protection:

Not required under normal conditions of use.

Protection may be required for spills.

· Limitation and supervision of exposure into the environment

Avoid release to the environment.

Information on basic physical a	nd chemical properties	
Appearance:		
Form:	Granulate	
Color:	Black	
Odor: Odor threshold:	Odorless Not determined.	
pH-value:	Neutral	
Melting point/Melting range:	Not determined.	
Boiling point/Boiling range:	Not determined.	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Product is not flammable.	
Auto-ignition temperature:	Not determined.	
Decomposition temperature:	2600°C (4,712 °F) (Sublimation)	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits		
Lower:	Not determined.	
Upper:	Not determined.	
Oxidizing properties:	Not determined.	
Vapor pressure:	Not applicable.	
Density:		
Relative density at 20°C (68 °F):	3.20g/cm <sup>3</sup> (26.7 lbs/gal)	
Vapor density:	Not applicable.	
Evaporation rate:	Not applicable.	
Solubility in / Miscibility with		
Water:	Insoluble.	
Partition coefficient (n-octanol/wate		

### acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: August 28, 2017 Revision: August 28, 2017

Trade name: Electrocarb Black Silicon Carbide Grain

(Cont'd. of page 5)

· Viscosity

**Dynamic:** Not applicable. **Kinematic:** Not applicable.

• Other information No relevant information available.

### 10 Stability and reactivity

- · Reactivity: No relevant information available.
- · Chemical stability:
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid Prevent formation of dust.
- · Incompatible materials No relevant information available.
- · Hazardous decomposition products No dangerous decomposition products known.

### 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification: None.
- · Primary irritant effect:
- · On the skin: Based on available data, the classification criteria are not met.
- · On the eye: Based on available data, the classification criteria are not met.
- · Sensitization: Based on available data, the classification criteria are not met.
- · IARC (International Agency for Research on Cancer):

14808-60-7 Quartz (SiO2)

1

· NTP (National Toxicology Program):

14808-60-7 Quartz (SiO2)

K

· OSHA-Ca (Occupational Safety & Health Administration):

Substance is not listed.

· Probable route(s) of exposure:

Ingestion.

Inhalation.

Eye contact.

Skin contact.

- · Acute effects (acute toxicity, irritation and corrosivity): No relevant information available.
- · Repeated dose toxicity:

Long term inhalation of product dust may be harmful.

Danger of very serious irreversible effects.

- · Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: May cause cancer.
- · Reproductive toxicity: Based on available data, the classification criteria are not met.

(Cont'd. on page 7)

### acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: August 28, 2017 Revision: August 28, 2017

Trade name: Electrocarb Black Silicon Carbide Grain

(Cont'd. of page 6)

- · STOT-single exposure: Based on available data, the classification criteria are not met.
- · STOT-repeated exposure: Based on available data, the classification criteria are not met.
- · Aspiration hazard: Based on available data, the classification criteria are not met.

### 12 Ecological information

- · Toxicity
- · Aquatic toxicity Generally not hazardous for water
- · Persistence and degradability No relevant information available.
- · Bioaccumulative potential: Does not accumulate in organisms
- · Mobility in soil: No relevant information available.
- · Additional ecological information
- · General notes:

Negative ecological effects are, according to the current state of knowledge, not expected.

- Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No relevant information available.

### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Smaller quantities can be disposed of with household waste.

Can be reused after reprocessing.

Contact waste processors for recycling information.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

Uncleaned packagings

· DOT, ADR, IMDG, IATA

· Class

· Recommendation: Disposal must be made according to official regulations.

14 Transport information		
· UN-Number · DOT, ADR, IMDG, IATA	Not regulated.	
· UN proper shipping name · DOT, ADR, IMDG, IATA	Not regulated.	
· Transport hazard class(es)		

Not regulated.

(Cont'd. on page 8)

Page: 8/9

## **Safety Data Sheet**

### acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: August 28, 2017 Revision: August 28, 2017

Trade name: Electrocarb Black Silicon Carbide Grain

Packing group
DOT, ADR, IMDG, IATA
Not regulated.

Environmental hazards
Marine pollutant:
No

Special precautions for user
Not applicable.

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code
Not applicable.

### 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · United States (USA)
- · SARA
- · Section 302 (extremely hazardous substances):

Substance is not listed.

· Section 355 (extremely hazardous substances):

Substance is not listed.

Section 313 (Specific toxic chemical listings):

Substance is not listed.

· TSCA (Toxic Substances Control Act)

Substance is listed.

- · Proposition 65 (California)
- · Chemicals known to cause cancer:

14808-60-7 Quartz (SiO2)

· Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

· Chemicals known to cause developmental toxicity:

Substance is not listed.

- · Carcinogenic categories
- · EPA (Environmental Protection Agency):

Substance is not listed.

· IARC (International Agency for Research on Cancer):

14808-60-7 Quartz (SiO2)

1

· NIOSH-Ca (National Institute for Occupational Safety and Health):

14808-60-7 Quartz (SiO2)

(Cont'd. on page 9)

Page: 9/9

# **Safety Data Sheet**

### acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: August 28, 2017 Revision: August 28, 2017

Trade name: Electrocarb Black Silicon Carbide Grain

(Cont'd. of page 8)

### · Canadian Domestic Substances List (DSL):

Substance is listed.

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Date of preparation / last revision August 28, 2017 / -

#### Abbreviations and acronyms:

LDLo: Lowest Lethal Dose Observed

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistant, Bio-accumulable, Toxique SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative

Carc. 1A: Carcinogenicity - Category 1A

#### Sources

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com